NSN 5306-00-857-8488

Externally Relieved Body Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-857-8488 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.640 inches and 0.700 inches **Fastener Length:** Between 3.330 inches and 3.360 inches **Head Style:** Dee chamfer **Head Diameter:** Between 0.460 inches and 0.480 inches **Head Height:** Between 0.150 inches and 0.170 inches **Distance From Centerline To Flat:** Between 0.140 inches and 0.150 inches First Diameter From Head: Between 0.263 inches and 0.264 inches **Second Diameter From Head:** Between 0.190 inches and 0.200 inches **Third Diameter From Head:** Between 0.263 inches and 0.264 inches **Fourth Diameter From Head:** Between 0.186 inches and 0.196 inches Distance From Largest Bearing Surface Of Head To End Of First Diameter: Between 0.060 inches and 0.070 inches Distance From Largest Bearing Surface Of Head To End Of Second Diameter: Between 0.180 inches and 0.190 inches Distance From Largest Bearing Surface Of Head To End Of Third Diameter: Between 0.240 inches and 0.270 inches Distance From Largest Bearing Surface Of Head To End Of Fourth Diameter: Between 2.630 inches and 2.720 inches **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): **Externally Relieved Body Diameter Quantity:** 4 **Product Name:**

Navy special project

Material:

Steel comp 630

NSN 5306-00-857-8488

Externally Relieved Body Bolt - Page 2 of 2



| Material Specification | V | late | rial | Spe | cific | cation | ۱: |
|------------------------|---|------|------|-----|-------|--------|----|
|------------------------|---|------|------|-----|-------|--------|----|

Ams 5643 assn standard single material response

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0