## NSN 5306-00-881-4592

Machine Bolt - Page 1 of 2

**Thread Class:** 

View Online at https://aerobasegroup.com/nsn/5306-00-881-4592



3a **Thread Direction: Right-hand Thread Length:** Between 0.428 inches and 0.510 inches Fastener Length: Between 0.400 inches and 0.510 inches **Head Style:** Double hexagon w/hole **Head Height:** Between 0.250 inches and 0.270 inches Width Between Flats: Between 0.243 inches and 0.251 inches **Extended Washer Diameter:** Between 0.365 inches and 0.385 inches **Extended Washer Thickness:** Between 0.040 inches and 0.050 inches Hole Diameter: 0.046 inches **Thread Diameter:** 0.190 inches Hole Quantity: 4 Hole Type: Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon longitudinal hole Surface Finish: 32.0 microinches threads Material: Steel comp 431 **Material Specification:** Ams 5628 assn standard single material response **Surface Treatment:** Passivate

## NSN 5306-00-881-4592

Machine Bolt - Page 2 of 2



Surface Treatment Specification:

+50t7a, fscm 07482 mfr ref single treatment response

## **Thread Series Designator:**

Unf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0