NSN 5306-00-881-4594

Machine Bolt - Page 1 of 2

Thread Class:



AeroBase Group

3a **Thread Direction: Right-hand Thread Length:** Between 0.865 inches and 0.945 inches Fastener Length: Between 2.490 inches and 2.510 inches Head Style: Double hexagon w/hole **Head Height:** Between 0.250 inches and 0.270 inches Width Between Flats: Between 0.243 inches and 0.251 inches **Extended Washer Diameter:** Between 0.365 inches and 0.385 inches **Extended Washer Thickness:** Between 0.040 inches and 0.050 inches Hole Diameter: 0.046 inches **Thread Diameter:** 0.190 inches Grip Length: Between 1.565 inches and 1.625 inches **Hole Quantity:** 4 Hole Type: Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Hole Configuration Style: Hexagon longitudinal hole Surface Finish: 63.0 microinches grip Material: Steel comp 431 **Material Specification:**

Ams 5628 assn standard single material response

NSN 5306-00-881-4594

Machine Bolt - Page 2 of 2



Surface Treatment: Cadmium and chromate Surface Treatment Specification:

Qq-p-416, type 2, cl 3 federal specification all treatment responses

Thread Series Designator:

Unf

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0