## NSN 5306-00-899-2503



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-899-2503 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.298 inches and 0.359 inches **Fastener Length:** Between 1.438 inches and 1.469 inches **Head Style:** Undercut hexagon **Head Height:** 0.155 inches Width Between Flats: Between 0.428 inches and 0.440 inches **Thread Diameter:** 0.190 inches **Grip Length:** Between 1.110 inches and 1.140 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 125000 pounds per square inch **Product Name:** Navy special project **Special Features:** Furnished with one o ring and one polytetrafluoroethylene washer Material: Steel comp 4037 or steel comp 4137 or steel comp 8630 or steel comp 8740 **Material Specification:** Qq-s-624 federal specification all material responses **Surface Treatment:** Cadmium **Surface Treatment Specification:** 

Qq-p-416, type 1, cl 3 federal specification single treatment response

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5306-00-899-2503

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0