## NSN 5306-00-905-5066

Machine Bolt - Page 1 of 2

Between 1.015 inches and 1.195 inches

Between 1.365 inches and 1.385 inches

**Thread Direction:** 

Thread Length:

Fastener Length:

Double hexagon w/hole

**Head Style:** 

Right-hand



View Online at https://aerobasegroup.com/nsn/5306-00-905-5066

Head Height:
Between 0.480 inches and 0.500 inches
Width Between Flats:
Between 0.492 inches and 0.502 inches
Extended Washer Diameter:
Between 0.678 inches and 0.698 inches
Extended Washer Thickness:
Between 0.110 inches and 0.120 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.437 inches
Grip Length:
Between 0.190 inches and 0.250 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Finished head
Nonstandard Thread Pitch Diameter:
+0.3989/+0.4020 inches
Thready Qty Per Inch (tpi):
20
Hole Configuration Style:
Double hexagon longitudinal hole
Surface Finish:
63.0 microinches grip
Material:
Iron alloy 660
Material Specification:
Ams 5732 assn standard single material response
Precious Material:
Silver

## NSN 5306-00-905-5066

Machine Bolt - Page 2 of 2

A003b0



Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: