## NSN 5306-00-913-2619

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-913-2619 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.615 inches and 0.635 inches **Fastener Length:** Between 0.615 inches and 0.635 inches **Head Style:** Double hexagon w/hole **Head Height:** Between 0.250 inches and 0.270 inches Width Between Flats: Between 0.243 inches and 0.251 inches **Extended Washer Diameter:** Between 0.365 inches and 0.385 inches **Extended Washer Thickness:** Between 0.040 inches and 0.050 inches **Hole Diameter:** 0.047 inches **Thread Diameter:** 0.250 inches **Hole Quantity: Hole Type:** Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 28 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c **Hole Configuration Style:** Round **Surface Finish:** 63.0 microinches bearing surface of head Material: Steel **Material Specification:** Ams 6322, comp 8740 assn standard single material response

Surface Treatment:

Cadmium

## NSN 5306-00-913-2619

Machine Bolt - Page 2 of 2



Surface Treatment S	pecification:
---------------------	---------------

Ams 2400 assn standard single treatment response

**Thread Series Designator:** 

Unf

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0