## NSN 5306-00-914-4250



Shoulder Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-914-4250 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.425 inches and 0.431 inches **Fastener Length:** Between 0.746 inches and 0.786 inches **Head Style:** Hexagon **Head Height:** 0.172 inches Width Between Flats: Between 0.492 inches and 0.502 inches **Shoulder Diameter:** 0.510 inches second shoulder **Shoulder Length:** 0.026 inches second shoulder **Thread Diameter:** 0.312 inches Thready Qty Per Inch (tpi): 24 Hardness Rating: 30.0 rockwell c and 38.0 rockwell c **Shoulder Shape:** Round all shoulders **Special Features:** 3rd shoulder diameter in. Nom 0.4336; 4th shoulder diameter in. Nom 0.4356; 3rd shoulder Ig in. Nom 0.257; 4th shoulder Ig in. Nom 0.263 Material: Stainless steel **Material Specification:** Ams 5616 assn standard single material response **Surface Treatment: Passivate Thread Series Designator:** Unf Shelf Life: N/a

**Demilitarization:** No

**Unit Of Measure:** 

## **NSN 5306-00-914-4250** Shoulder Bolt - Page 2 of 2



Fiig:

A003b0