## NSN 5306-00-916-4714

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-916-4714

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.514 inches and 0.574 inches
Fastener Length:
Between 3.029 inches and 3.059 inches
Head Style:
Hexagon
Head Height:
Between 0.140 inches and 0.172 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 2.485 inches and 2.515 inches
Features Provided:
Finished head
Гhready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
140000 pounds per square inch
Hardness Rating:
248.0 brinell standard and 341.0 brinell standard
Material:
ron alloy 660
Material Specification:
Ams5732 assn standard single material response or ams5737 assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Jnf
Specification Data:
30205-nas1004 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:

--

## **NSN 5306-00-916-4714** Machine Bolt - Page 2 of 2



Demi			

No

Fiig:

A003b0