NSN 5306-00-916-6490

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-00-916-6490 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.481 inches **Fastener Length:** 0.919 inches **Head Style:** Hexagon **Head Height:** 0.125 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Shank Unthreaded Hole Diameter:** 0.070 inches first hole **Thread Diameter:** 0.190 inches **Grip Length:** 0.438 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 140000 pounds per square inch Distance From Head Largest Bearing Surface To Shank Hole Center: 0.704 inches first hole **Special Features:** Tensile strength at room temperature Material: Iron alloy 660 **Material Specification:** Ams5732 assn standard single material response or ams5737 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:**

Unf

Shelf Life:

N/a

NSN 5306-00-916-6490 Machine Bolt - Page 2 of 2



		eas	

Demilitarization:

No

Fiig:

A003b0