## NSN 5306-00-926-5627

Machine Bolt - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/5306-00-926-5627

3a
Thread Direction:
Right-hand
Thread Length:
Between 0.750 inches and 0.810 inches
Fastener Length:
0.938 inches
Head Style:
Double hexagon w/hole
Head Height:
0.330 inches
Width Between Flats:
Between 0.305 inches and 0.313 inches
Extended Washer Diameter:
0.438 inches
Extended Washer Thickness:
Between 0.060 inches and 0.070 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.128 inches and 0.188 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Unfinished head
Thready Qty Per Inch (tpi):
C8
Hardness Rating:
42.0 rockwell c and 46.0 rockwell c
Hole Configuration Style:
Hexagon flats
Surface Finish:
32.00 microinches threads
Material:
Steel comp 601
Material Specification:
Ams 6304 assn standard single material response

## **NSN 5306-00-926-5627**Machine Bolt - Page 2 of 2



Surface Treatment:
Nickel and cadmium
Surface Treatment Specification:
Ams 2416 assn standard all treatment responses
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A003b0