## NSN 5306-00-927-9625

Machine Bolt - Page 1 of 2

**Thread Class:** 



View Online at https://aerobasegroup.com/nsn/5306-00-927-9625

Tilleau Class.
1a
Thread Direction:
Right-hand
Thread Length:
Between 0.865 inches and 0.945 inches
Fastener Length:
Between 3.615 inches and 3.635 inches
Head Style:
Double hexagon w/hole
Head Height:
Between 0.365 inches and 0.385 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Extended Washer Diameter:
Between 0.490 inches and 0.510 inches
Extended Washer Thickness:
Between 0.070 inches and 0.080 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.312 inches
Grip Length:
Between 2.690 inches and 2.750 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
24
Hole Configuration Style:
Hexagon flats
Surface Finish:
63.0 microinches grip
Material:
Iron alloy 660
Material Specification:
Ams 5732 assn standard single material response
Thread Series Designator:

Unf

## NSN 5306-00-927-9625

Machine Bolt - Page 2 of 2



_				-		
C	h	Δ	Iŧ.		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0