NSN 5306-00-935-7551



Shoulder Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-00-935-7551 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.453 inches **Fastener Length:** 1.785 inches **Head Style:** Hexagon **Head Height:** Between 0.172 inches and 0.204 inches Width Between Flats: Between 0.490 inches and 0.502 inches **Shoulder Diameter:** 0.3090 inches first shoulder and 0.3120 inches first shoulder **Shoulder Length:** 1.510 inches first shoulder **Shank Unthreaded Hole Diameter:** 0.076 inches first hole **Thread Diameter:** 0.250 inches Thready Qty Per Inch (tpi): 28 Min. Tensile Strength (psi): 25000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Distance From Head Largest Bearing Surface To Shank Hole Center: 1.785 inches first hole **Shoulder Shape:** Round first shoulder Material: Steel **Surface Treatment:** Cadmium and chromate **Thread Series Designator:** Unf **Specification Data:**

80205-nas1297 professional/industrial association standard

Shelf Life:

N/a

NSN 5306-00-935-7551 Shoulder Bolt - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

Demilitarization:

No

Fiig:

A003b0