## NSN 5306-00-947-4250

Machine Bolt - Page 1 of 2

**Thread Class:** 

За



View Online at https://aerobasegroup.com/nsn/5306-00-947-4250

Thread Direction:
Right-hand
Thread Length:
Between 0.730 inches and 0.750 inches
Fastener Length:
0.875 inches
Head Style:
Double hexagon w/hole
Head Height:
0.330 inches
Width Between Flats:
Between 0.305 inches and 0.313 inches
Extended Washer Diameter:
0.438 inches
Extended Washer Thickness:
Between 0.060 inches and 0.070 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.125 inches and 0.145 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
195000 pounds per square inch
Hardness Rating:
42.0 rockwell c and 46.0 rockwell c
Hole Configuration Style:
Hexagon longitudinal hole
Surface Finish:
32.0 microinches threads
Material:
Steel comp 601

## **NSN 5306-00-947-4250** Machine Bolt - Page 2 of 2

Fiig: A003b0



Material Specification:
Ams 6304 assn standard single material response
Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2416 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No