

View Online at <https://aerobasegroup.com/nsn/5306-00-973-5594>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

Between 0.405 inches and 0.415 inches

**Fastener Length:**

1.289 inches

**Head Style:**

Hexagon

**Head Height:**

0.210 inches

**Width Between Flats:**

Between 0.553 inches and 0.564 inches

**Shoulder Diameter:**

0.3733 inches first shoulder and 0.3742 inches first shoulder

**Shoulder Length:**

0.874 inches first shoulder and 0.884 inches first shoulder

**Thread Diameter:**

0.250 inches

**Thready Qty Per Inch (tpi):**

28

**Hardness Rating:**

46.0 rockwell c and 49.0 rockwell c

**Shoulder Shape:**

Round first shoulder

**Material:**

Steel comp d6ac

**Surface Treatment:**

Cadmium

**Surface Treatment Specification:**

Mil-c-8837, type 2 cl 1 military specification single treatment response

**Test Data Document:**

81349-mil-i-6868 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A003b0

**Mil-std (military Standard):**

Mil-c-8837 spec.