NSN 5306-01-006-5461

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-006-5461

View Online at https://aerobasegroup.com/nsn/5306-01-006-5461
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.400 inches and 0.450 inches
Fastener Length:
Between 0.593 inches and 0.628 inches
Head Style:
Hexagon
Head Height:
Between 0.125 inches and 0.140 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
0.051 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.178 inches and 0.198 inches
Hole Quantity:
3
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Hole Configuration Style:
Hexagon corners
Material:
Iron alloy 660
Material Specification:
Ams5731 assn standard single material response
Surface Treatment:
Cadmium and chromate or chromium
Surface Treatment Specification:
Qq-p-416 type 2 cl 2 federal specification 1st treatment response or qq-c-320 cl 2 federal specification 2nd treatment response
Thread Series Designator:

Unjf

NSN 5306-01-006-5461

Shear Bolt - Page 2 of 2



Spec	cific	ation	Data:
------	-------	-------	-------

80205-nas6704 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0