## NSN 5306-01-019-5878

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-019-5878 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.402 inches and 0.442 inches **Fastener Length:** Between 0.500 inches and 0.530 inches **Head Style:** Hexagon **Head Height:** Between 0.090 inches and 0.150 inches Width Between Flats: 0.437 inches **Shoulder Diameter:** 0.240 inches first shoulder and 0.250 inches first shoulder **Shoulder Length:** 0.088 inches first shoulder and 0.098 inches first shoulder **Thread Diameter:** 0.190 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 180000 pounds per square inch **Shoulder Shape:** Round first shoulder Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Surface Treatment:** Cadmium **Surface Treatment Specification:** Qq-p-416, type 2, class 2 federal specification single treatment response **Thread Series Designator:** Unjf Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5306-01-019-5878

Shoulder Bolt - Page 2 of 2



Fiig:

A003b0

Mil-std (military Standard):

Mil-s-6758 spec.