## NSN 5306-01-043-1870

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-043-1870
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.826 inches and 0.893 inches
Fastener Length:
Between 2.524 inches and 2.571 inches
Head Style:
Double hexagon
Head Height:
Between 0.390 inches and 0.410 inches
Width Between Flats:
Between 1.052 inches and 1.064 inches
Grip Diameter:
Between 0.7480 inches and 0.7490 inches
Shank Unthreaded Hole Diameter:
0.136 inches first hole and 0.146 inches first hole
Thread Diameter:
0.750 inches
Grip Length:
Between 1.678 inches and 1.698 inches
Thready Qty Per Inch (tpi):
16
Min. Tensile Strength (psi):
220000 pounds per square inch
Hardness Rating:
46.0 rockwell c and 50.0 rockwell c
Distance From Head Largest Bearing Surface To Shank Hole Center:
2.396 inches first hole and 2.428 inches first hole
Product Name:
Navy special project
Material:
Steel comp h11
Surface Treatment:
Cadmium
Thread Series Designator:
Unjf
Specification Data:
85495-b-17020 manufacturers standard
Shelf Life:
N/a

## NSN 5306-01-043-1870

Shear Bolt - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A003b0