NSN 5306-01-050-2942

Machine Bolt - Page 1 of 2

Thread Class:

Right-hand

Thread Direction:

За



View Online at https://aerobasegroup.com/nsn/5306-01-050-2942

Inread Length:
Between 0.470 inches and 0.490 inches
Fastener Length:
0.562 inches
Head Style:
Double hexagon w/hole
Head Height:
0.258 inches
Width Between Flats:
Between 0.243 inches and 0.251 inches
Extended Washer Diameter:
0.375 inches
Extended Washer Thickness:
Between 0.040 inches and 0.050 inches
Hole Diameter:
0.047 inches
Thread Diameter:
0.190 inches
Grip Length:
Between 0.072 inches and 0.092 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
32.0 rockwell c and 42.0 rockwell c
Hole Configuration Style:
Double hexagon longitudinal hole
Surface Finish:
32.0 microinches threads
Material:

Nickel alloy

NSN 5306-01-050-2942 Machine Bolt - Page 2 of 2



Material Specification:
Ams 5708 assn standard single material response
Precious Material:
Silver
Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A003b0