## NSN 5306-01-086-5586

Shear Bolt - Page 1 of 2

**Thread Class:** 

Right-hand
Thread Length:
0.338 inches
Fastener Length:

0.588 inches **Head Style:** 

**Thread Direction:** 

За



View Online at https://aerobasegroup.com/nsn/5306-01-086-5586

Dished hexagon
Head Height:
0.110 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Hole Diameter:
Between 0.046 inches and 0.056 inches
Grip Diameter:
Between 0.1885 inches and 0.1895 inches
Thread Diameter:
0.190 inches
Grip Length:
Between 0.240 inches and 0.260 inches
Hole Quantity:
3
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
32
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
36.0 rockwell c and 40.0 rockwell c
Hole Configuration Style:
Hexagon corners
Criticality Code Justification:
Aaur
Surface Finish:
63.0 microinches bearing surface of head
Material:
Steel
Material Specification:
Mil-b-7838 military specification single material response

## NSN 5306-01-086-5586

Shear Bolt - Page 2 of 2

Mil-b-7838 spec.



Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416 type 1 federal specification single treatment response
Thread Series Designator:
Unjf
Specification Data:
80205-nas1303 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A003b0
Mil-std (military Standard):