## NSN 5306-01-090-9601

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-090-9601
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.444 inches and 0.494 inches
Fastener Length:
Between 2.329 inches and 2.359 inches
Head Style:
Dished hexagon
Head Height:
Between 0.156 inches and 0.171 inches
Width Between Flats:
Between 0.492 inches and 0.502 inches
Shoulder Diameter:
0.3266 inches first shoulder and 0.3276 inches first shoulder
Shoulder Length:
1.865 inches first shoulder and 1.885 inches first shoulder
Thread Diameter:
0.312 inches
Thready Qty Per Inch (tpi):
24
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
36.0 rockwell c and 40.0 rockwell c
Shoulder Shape:
Round first shoulder
Material:
Steel comp 4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150
Steel comp 4340 or steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 6150  Surface Treatment:
Surface Treatment:
Surface Treatment: Cadmium and chromate
Surface Treatment: Cadmium and chromate Surface Treatment Specification:
Surface Treatment:  Cadmium and chromate  Surface Treatment Specification:  Qq-p-416 ty2 cl2 federal specification single treatment response
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response Thread Series Designator:
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response Thread Series Designator: Unjf
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response Thread Series Designator: Unjf Specification Data:
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response Thread Series Designator: Unjf Specification Data: 80205-nas2905 professional/industrial association standard
Surface Treatment: Cadmium and chromate Surface Treatment Specification: Qq-p-416 ty2 cl2 federal specification single treatment response Thread Series Designator: Unjf Specification Data: 80205-nas2905 professional/industrial association standard Shelf Life:

## NSN 5306-01-090-9601

Shoulder Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0