NSN 5306-01-098-9938

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-098-9938

The strains at this point as to base group to strain the strain at the s
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 1.061 inches and 1.140 inches
Fastener Length:
Between 2.515 inches and 2.562 inches
Head Style:
Hexagon
Head Height:
Between 0.390 inches and 0.422 inches
Width Between Flats:
Between 1.053 inches and 1.066 inches
Hole Diameter:
Between 0.070 inches and 0.080 inches
Thread Diameter:
0.750 inches
Grip Length:
Between 1.422 inches and 1.454 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
16
Min. Tensile Strength (psi):
125000 pounds per square inch
Hardness Rating:
26.0 rockwell c and 32.0 rockwell c
Hole Configuration Style:
Hexagon flats
Material:
Steel comp 4140 or steel comp 8740 or steel comp 8735 or steel comp 4130
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 cl 3 federal specification single treatment response
Thread Series Designator:
Unf

NSN 5306-01-098-9938

Machine Bolt - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0