NSN 5306-01-107-3504

Machine Bolt - Page 1 of 2

Thread Class:

За



View Online at https://aerobasegroup.com/nsn/5306-01-107-3504

Thread Direction:
Right-hand
Thread Length:
1.889 inches
Fastener Length:
2.000 inches
Head Style:
Double hexagon extended washer
Head Height:
0.561 inches
Width Between Flats:
0.625 inches
Extended Washer Diameter:
0.875 inches
Extended Washer Thickness:
0.130 inches
Thread Diameter:
0.562 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
18
18
18 Hardness Rating:
18 Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams2400 assn standard single treatment response
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams2400 assn standard single treatment response Thread Series Designator:
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams2400 assn standard single treatment response Thread Series Designator: Unjf
Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams2400 assn standard single treatment response Thread Series Designator: Unjf Shelf Life:

NSN 5306-01-107-3504

Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0