## NSN 5306-01-112-4340



Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-112-4340 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.563 inches and 0.750 inches **Fastener Length:** Between 0.719 inches and 0.750 inches **Head Style:** Hexagon **Head Height:** Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches **Locking Feature:** Patch threads or strip threads **End Application:** Mrap rg-33 **Thread Diameter:** 0.375 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 150000 pounds per square inch Hardness Rating: 33.0 rockwell c fastener and 39.0 rockwell c fastener Material: Steel **Material Specification:** Sae j429, grade 8 assn standard single material response fastener or astm a354, grade 8 assn standard single material response fastener or astm a354, grade bd assn standard single material response fastener **Surface Treatment:** Cadmium fastener and chromate fastener **Surface Treatment Specification:** Qq-p-416, type 2 class 3 federal specification single treatment response fastener **Thread Series Designator:** 

Unc

Shelf Life:

N/a

**Unit Of Measure:** 

## **NSN 5306-01-112-4340** Machine Bolt - Page 2 of 2



Demilitarization:

No

Fiig:

A003b0