NSN 5306-01-125-6201

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-125-6201 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.096 inches and 0.146 inches **Fastener Length:** Between 0.387 inches and 0.417 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.218 inches and 0.226 inches **Head Height:** Between 0.134 inches and 0.138 inches **First Diameter From Head:** Between 0.079 inches and 0.089 inches Distance From Largest Bearing Surface Of Head To End Of First Diameter: Between 0.271 inches and 0.291 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.138 inches Width Across Flats: Between 0.109 inches and 0.111 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 160000 pounds per square inch **Externally Relieved Body Diameter Quantity:** 1 **Surface Finish:** 63.0 microinches Material: Iron alloy 660 **Material Specification:** Ams 5737 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:**

Qq-p-35 federal specification single treatment response

Thread Series Designator:

Unrc

NSN 5306-01-125-6201

Internal Wrenching Bolt - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0