## NSN 5306-01-133-1564

Internal Wrenching Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-133-1564 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.461 inches and 0.553 inches **Fastener Length:** Between 0.609 inches and 0.641 inches **Head Style:** Flat chamfer **Head Diameter:** Between 0.303 inches and 0.312 inches **Head Height:** Between 0.185 inches and 0.190 inches **First Diameter From Head:** Between 0.164 inches and 0.174 inches Distance From Largest Bearing Surface Of Head To End Of First Diameter: Between 0.088 inches and 0.148 inches **Internal Drive Style:** Hexagon **Thread Diameter:** 0.190 inches Width Across Flats: Between 0.156 inches and 0.159 inches Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 170000 pounds per square inch **Hardness Rating:** 38.0 rockwell c and 43.0 rockwell c **Externally Relieved Body Diameter Quantity: Surface Finish:** 63.0 microinches grip Material: Steel comp 410 **Material Specification:** Ams 5612 assn standard single material response **Thread Series Designator:** Unjf Shelf Life:

N/a

## NSN 5306-01-133-1564

Internal Wrenching Bolt - Page 2 of 2



ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A003b0