NSN 5306-01-138-6283

Machine Bolt - Page 1 of 2

Between 0.523 inches and 0.563 inches

Between 0.615 inches and 0.635 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

За



View Online at https://aerobasegroup.com/nsn/5306-01-138-6283

| Head Style: |
|--|
| Hexagon |
| Head Height: |
| Between 0.134 inches and 0.150 inches |
| Width Between Flats: |
| Between 0.367 inches and 0.376 inches |
| Hole Diameter: |
| Between 0.042 inches and 0.052 inches |
| Thread Diameter: |
| 0.190 inches |
| Grip Length: |
| Between 0.072 inches and 0.092 inches |
| Hole Quantity: |
| 1 |
| Hole Type: |
| Drilled |
| Features Provided: |
| Finished head |
| Thready Qty Per Inch (tpi): |
| 32 |
| Hardness Rating: |
| 42.0 rockwell c and 46.0 rockwell c |
| Hole Configuration Style: |
| Hexagon flats |
| Surface Finish: |
| 32.0 microinches threads |
| Material: |
| Steel comp 601 |
| Material Specification: |
| Ams 6304 assn standard single material response |
| Surface Treatment: |
| Nickel and cadmium |
| Surface Treatment Specification: |
| Ams 2416 assn standard single treatment response |
| |
| |
| |

NSN 5306-01-138-6283

Machine Bolt - Page 2 of 2



Unjf

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0