## NSN 5306-01-147-1615

Machine Bolt - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/5306-01-147-1615



Thread Class:
За
Thread Direction:
Right-hand
Thread Length:
2.040 inches
Fastener Length:
2.078 inches
Head Style:
Hexagon
Head Height:
Between 0.203 inches and 0.235 inches
Width Between Flats:
Between 0.553 inches and 0.565 inches
Shank Unthreaded Hole Diameter:
0.123 inches first hole and 0.128 inches first hole
Thread Diameter:
0.375 inches
Thready Qty Per Inch (tpi):
24
24
<sup>24</sup> Distance From Head Largest Bearing Surface To Shank Hole Center:
Distance From Head Largest Bearing Surface To Shank Hole Center:
<b>Distance From Head Largest Bearing Surface To Shank Hole Center:</b> 1.640 inches first hole
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate Thread Series Designator:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate Thread Series Designator: Unf
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate Thread Series Designator: Unf Shelf Life:
Distance From Head Largest Bearing Surface To Shank Hole Center:1.640 inches first holeSpecial Features:Made from an6c20Material:Stainless steelSurface Treatment:PassivateThread Series Designator:UnfShelf Life:N/a
Distance From Head Largest Bearing Surface To Shank Hole Center:   1.640 inches first hole   Special Features:   Made from an6c20   Material:   Stainless steel   Surface Treatment:   Passivate   Thread Series Designator:   Unf   Shelf Life:   N/a   Unit Of Measure:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure:
Distance From Head Largest Bearing Surface To Shank Hole Center: 1.640 inches first hole Special Features: Made from an6c20 Material: Stainless steel Surface Treatment: Passivate Thread Series Designator: Unf Shelf Life: N/a Unit Of Measure:  Demilitarization: