NSN 5306-01-163-2429

Machine Bolt - Page 1 of 2

Thread Class:

View Online at https://aerobasegroup.com/nsn/5306-01-163-2429



2a **Thread Direction: Right-hand Thread Length:** Between 2.281 inches and 2.500 inches Fastener Length: Between 2.406 inches and 2.500 inches **Head Style:** Hexagon **Head Height:** Between 0.226 inches and 0.243 inches Width Between Flats: Between 0.551 inches and 0.562 inches Hole Diameter: Between 0.060 inches and 0.068 inches Locking Feature: Patch threads or strip threads **Thread Diameter:** 0.375 inches **Hole Quantity:** 1 Hole Type: Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 16 Min. Tensile Strength (psi): 150000 pounds per square inch Hardness Rating: 32.0 rockwell c fastener and 38.0 rockwell c fastener Hole Configuration Style: Hexagon flats **Special Features:** Locking feature plastic polyamide Material: Steel **Material Specification:** Sae j429 grade 8 assn standard single material response fastener **Surface Treatment:**

Zinc fastener and chromate fastener

NSN 5306-01-163-2429

Machine Bolt - Page 2 of 2



Surface Treatment Specification:

Astm b633 type 2 sc 3 assn standard single treatment response fastener

Thread Series Designator:

Unc

Specification Or Standard:

2 type and 10p style and 8 grade

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0