# NSN 5306-01-175-7558

Machine Bolt - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5306-01-175-7558



#### **Thread Class:**

2a

**Thread Direction:** 

**Right-hand** 

#### Thread Length:

Between 0.594 inches and 0.750 inches

#### Fastener Length:

Between 0.719 inches and 0.750 inches

#### Head Style:

Hexagon

Head Height:

Between 0.150 inches and 0.163 inches

#### Width Between Flats:

Between 0.428 inches and 0.438 inches

#### Locking Feature:

Patch threads or strip threads

**Thread Diameter:** 

0.250 inches

#### **Features Provided:**

Finished head

### Thready Qty Per Inch (tpi):

20

#### Min. Tensile Strength (psi):

150000 pounds per square inch

#### Hardness Rating:

32.0 rockwell c fastener and 38.0 rockwell c fastener

# Material:

Steel fastener

# Material Specification:

Sae j429, grade 8 assn standard single material response fastener or astm a354, grade bd assn standard single material response fastener

# Surface Treatment:

Zinc fastener and chromate fastener

# Surface Treatment Specification:

Astm b633 type 2 sc 3 assn standard single treatment response fastener

# Thread Series Designator:

Unc

# Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# **NSN 5306-01-175-7558** Machine Bolt - Page 2 of 2

Fiig: A003b0

