

View Online at <https://aerobasegroup.com/nsn/5306-01-181-7472>

Thread Class:

2a

Thread Direction:

Right-hand

Thread Length:

1.620 inches

Fastener Length:

3.260 inches

Head Style:

Flat chamfer

Head Diameter:

Between 1.852 inches and 1.875 inches

Head Height:

Between 1.236 inches and 1.250 inches

First Diameter From Head:

Between 1.069 inches and 1.074 inches

Distance From Largest Bearing Surface Of Head To End Of First Diameter:

1.640 inches

Internal Drive Style:

Hexagon

Thread Diameter:

1.000 inches

Width Across Flats:

Between 0.875 inches and 0.880 inches

Thready Qty Per Inch (tpi):

8

Criticality Code Justification:

Ahym

Externally Relieved Body Diameter Quantity:

1

Special Features:

Thread diameter begins at 1.000 inch with taper angle of thread to head 0.004 to 0.006 inches, optional head may be knurled

Material:

Steel comp 304 or steel comp 316 or steel comp 321

Material Specification:

Astm a193 assn standard all material responses

Surface Treatment:

Copper

Thread Series Designator:

Unc

Reference Number Differentiating Characteristics:

As differentiated by tapered threads

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0