NSN 5306-01-185-4591

Machine Bolt - Page 1 of 2

Between 0.750 inches and 0.810 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

1.375 inches

За



View Online at https://aerobasegroup.com/nsn/5306-01-185-4591

Head Style:
Hexagon
Head Height:
Between 0.167 inches and 0.183 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
Between 0.060 inches and 0.070 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.565 inches and 0.625 inches
Hole Quantity:
1
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
130000 pounds per square inch
Hardness Rating:
24.0 rockwell c and 35.0 rockwell c
24.0 Tockwell C allu 33.0 Tockwell C
Hole Configuration Style:
Hole Configuration Style:
Hole Configuration Style: Hexagon flats
Hole Configuration Style: Hexagon flats Surface Finish:
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material:
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification:
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response
Hole Configuration Style: Hexagon flats Surface Finish: 32.0 microinches threads Material: Iron alloy 660 Material Specification: Ams 5731 assn standard single material response Thread Series Designator:

NSN 5306-01-185-4591

Machine Bolt - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0