

View Online at <https://aerobasegroup.com/nsn/5306-01-195-4998>

**Thread Class:**

3a

**Thread Direction:**

Right-hand

**Thread Length:**

0.469 inches

**Eye Inside Diameter:**

Between 0.312 inches and 0.314 inches

**Shoulder Thickness:**

Between 0.068 inches and 0.088 inches

**Shank Length:**

Between 0.834 inches and 0.854 inches

**Eye Stock Thickness:**

Between 0.120 inches and 0.130 inches

**Shoulder Diameter:**

Between 0.490 inches and 0.510 inches

**Shank Unthreaded Hole Diameter:**

0.066 inches first hole and 0.086 inches first hole

**Overall Length:**

Between 1.583 inches and 1.603 inches

**Thread Diameter:**

0.250 inches

**Thready Qty Per Inch (tpi):**

28

**Min. Tensile Strength (psi):**

125000 pounds per square inch

**Distance From Center Of Eye To Shank End:**

Between 1.302 inches and 1.322 inches

**Distance From Threaded End To Shank Hole Center:**

1.302 inches first hole and 1.322 inches first hole

**Eye Outside Width:**

Between 0.490 inches and 0.510 inches

**Material:**

Steel comp 302 or steel comp 304

**Material Specification:**

Qq-s-763 federal specification all material responses

**Surface Treatment:**

Passivate

**Style Designator:**

Round, closed w/shoulder

**Thread Series Designator:**

Unjf

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A003b0