NSN 5306-01-197-3560

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-197-3560

80205-nas6710 professional/industrial association standard

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.877 inches and 0.927 inches
Fastener Length:
Between 4.387 inches and 4.417 inches
Head Style:
Dished hexagon
Head Height:
Between 0.312 inches and 0.327 inches
Width Between Flats:
Between 0.928 inches and 0.940 inches
Grip Diameter:
Between 0.6230 inches and 0.6240 inches
Single Shear Strength:
95000 pounds per square inch
Thread Diameter:
0.625 inches
Grip Length:
Between 3.490 inches and 3.510 inches
Thready Qty Per Inch (tpi):
18
Min. Tensile Strength (psi):
160000 pounds per square inch
Surface Finish:
32.0 microinches threads
Product Name:
Navy special project
Material:
Iron alloy 660
Material Specification:
Ams 5731 assn standard single material response or ams 5737 assn standard single material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 class 2 federal specification single treatment response
Thread Series Designator:
Unjf
Specification Data:

NSN 5306-01-197-3560

Shear Bolt - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0