NSN 5306-01-201-2240

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-201-2240 **Thread Class:** 2a **Thread Direction:** Right-hand Thread Length: Between 0.364 inches and 0.414 inches **Fastener Length:** Between 1.186 inches and 1.216 inches **Head Style:** Undercut hexagon **Head Height:** Between 0.125 inches and 0.140 inches Width Between Flats: Between 0.430 inches and 0.439 inches **Grip Diameter:** Between 0.2490 inches and 0.2496 inches **End Application:** Baf; btf; 05f; 04f; 25f **Thread Diameter:** 0.250 inches **Grip Length:** Between 0.802 inches and 0.822 inches Thready Qty Per Inch (tpi): 28 Surface Finish: 32.0 microinches threads Material: Iron alloy 660 **Material Specification:** Ams 5731 assn standard single material response **Surface Treatment: Passivate Surface Treatment Specification:** Qq-p-35 federal specification single treatment response **Thread Series Designator:** Unf Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5306-01-201-2240

Close Tolerance Bolt - Page 2 of 2



Fiig:

A003b0