## NSN 5306-01-205-9125

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-205-9125

Thread Class
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 2.132 inches and 2.250 inches
Fastener Length:
Between 2.203 inches and 2.250 inches
Head Style:
Hexagon
Head Height:
Between 0.209 inches and 0.229 inches
Width Between Flats:
Between 0.428 inches and 0.440 inches
Hole Diameter:
Between 0.070 inches and 0.080 inches
Thread Diameter:
0.250 inches
Hole Quantity:
3
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Hardness Rating:
36.0 rockwell c and 40.0 rockwell c
Hole Configuration Style:
Hexagon corners
Surface Finish:
63.0 microinches threads
Material:
Steel comp 4140 or steel comp 8740 or steel comp 8630 or steel comp 8735 or steel comp 4130 or steel comp 4037
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416, type 2 class 2 federal specification single treatment response
Thread Series Designator:
Unjf

## NSN 5306-01-205-9125

Machine Bolt - Page 2 of 2



Specific	ation	Data:
----------	-------	-------

80205-nas564 professional/industrial association standard

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0