NSN 5306-01-213-4141

Machine Bolt - Page 1 of 2

Between 0.865 inches and 0.945 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

За



View Online at https://aerobasegroup.com/nsn/5306-01-213-4141

Between 2.240 inches and 2.260 inches
Head Style:
Double hexagon w/hole
Head Height:
Between 0.365 inches and 0.385 inches
Width Between Flats:
Between 0.367 inches and 0.376 inches
Extended Washer Diameter:
0.500 inches
Extended Washer Thickness:
Between 0.070 inches and 0.080 inches
Hole Diameter:
0.070 inches
Thread Diameter:
0.312 inches
Grip Length:
Between 1.315 inches and 1.375 inches
Hole Quantity:
4
Hole Type:
Drilled
Features Provided:
Features Provided: Finished head
Finished head
Finished head Thready Qty Per Inch (tpi):
Finished head Thready Qty Per Inch (tpi): 24
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating:
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style:
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style: Double hexagon longitudinal hole
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style: Double hexagon longitudinal hole Surface Finish:
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style: Double hexagon longitudinal hole Surface Finish: 32.0 microinches threads
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style: Double hexagon longitudinal hole Surface Finish: 32.0 microinches threads Material:
Finished head Thready Qty Per Inch (tpi): 24 Hardness Rating: 42.0 rockwell c and 46.0 rockwell c Hole Configuration Style: Double hexagon longitudinal hole Surface Finish: 32.0 microinches threads Material: Steel comp 601

NSN 5306-01-213-4141Machine Bolt - Page 2 of 2

Fiig: A003b0



Surface Treatment:
Nickel and cadmium and chromate
Surface Treatment Specification:
Ams2416 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No