## NSN 5306-01-214-3755

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-214-3755

view Offilite at https://defobasegroup.com/hsh/osoo-of-214-5/55
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
Between 0.782 inches and 0.885 inches
Fastener Length:
Between 0.865 inches and 0.885 inches
Head Style:
Double hexagon extended washer
Head Height:
Between 0.328 inches and 0.348 inches
Width Between Flats:
0.375 inches
Extended Washer Diameter:
Between 0.490 inches and 0.510 inches
Extended Washer Thickness:
Between 0.070 inches and 0.080 inches
Hole Diameter:
Between 0.060 inches and 0.080 inches
Thread Diameter:
0.312 inches
Hole Quantity:
2
Hole Type:
Drilled
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
24
Hole Configuration Style:
Double hexagon flats
Criticality Code Justification:
Feat
Surface Finish:
32.0 microinches threads
Special Features:
Item has other critical featur (s) such as tolerance, fit restrictions or application for the f108 engine
Material:
Nickel alloy 718
Precious Material And Location:
silver

## NSN 5306-01-214-3755

Machine Bolt - Page 2 of 2

A003b0



Precious Material:
Silver
Surface Treatment:
Silver
Surface Treatment Specification:
Ams 2410 assn standard single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: