NSN 5306-01-219-3459

Close Tolerance Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-219-3459 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.503 inches and 0.553 inches **Fastener Length:** Between 4.438 inches and 4.468 inches **Head Style:** Hexagon **Head Height:** Between 0.188 inches and 0.203 inches Width Between Flats: Between 0.553 inches and 0.564 inches **Grip Diameter:** Between 0.3740 inches and 0.3745 inches **Shank Unthreaded Hole Diameter:** 0.106 inches first hole and 0.116 inches first hole **Thread Diameter:** 0.375 inches **Grip Length:** Between 3.865 inches and 3.885 inches Thready Qty Per Inch (tpi): 24 Distance From Head Largest Bearing Surface To Shank Hole Center: 4.227 inches first hole and 4.277 inches first hole **Surface Finish:** 63.0 microinches grip Material: Titanium alloy uns r56400 **Material Specification:** Ams 4967 assn standard single material response **Thread Series Designator:** Unjf **Specification Data:** 80205-nas676 professional/industrial association standard Shelf Life: N/a **Unit Of Measure:**

Demilitarization: No

NSN 5306-01-219-3459

Close Tolerance Bolt - Page 2 of 2



Fiig:

A003b0