NSN 5306-01-232-9754

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-232-9754

·
Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.425 inches
Fastener Length:
Between 2.035 inches and 2.065 inches
Head Style:
Dished hexagon
Head Height:
Between 0.125 inches and 0.140 inches
Width Between Flats:
Between 0.429 inches and 0.439 inches
Hole Diameter:
Between 0.046 inches and 0.056 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 1.615 inches and 1.635 inches
Hole Quantity:
4
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
160000 pounds per square inch
Hole Configuration Style:
Hexagon corners
Material:
Steel comp 4340 and steel comp 8740
Surface Treatment:
Cadmium
Surface Treatment Specification:
Qq-p-416a, ty2, cl2 federal specification single treatment response
Thread Series Designator:
Unjf
Specification Data:

80205-nas6604 professional/industrial association standard

NSN 5306-01-232-9754

Shear Bolt - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0