NSN 5306-01-234-3070

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-234-3070

Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
Between 0.375 inches and 0.500 inches
Fastener Length:
Between 0.469 inches and 0.500 inches
Head Style:
Hexagon
Head Height:
Between 0.150 inches and 0.163 inches
Width Between Flats:
Between 0.428 inches and 0.438 inches
Hole Diameter:
Between 0.060 inches and 0.068 inches
Locking Feature:
Patch threads or strip threads
Thread Diameter:
0.250 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
120000 pounds per square inch
Hardness Rating:
25.0 rockwell c and 34.0 rockwell c
Hole Configuration Style:
Hexagon flats
Criticality Code Justification:
Feat
Special Features:
Weapon system essential
Material:
Steel
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 cl 2 federal specification single treatment response

NSN 5306-01-234-3070

Machine Bolt - Page 2 of 2



Thread Series Designator:
Unc
Specification Or Standard:
2 type and 10p style
Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A003b0