NSN 5306-01-236-1580

Machine Bolt - Page 1 of 2

Between 0.740 inches and 0.891 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

За



View Online at https://aerobasegroup.com/nsn/5306-01-236-1580

Between 0.928 inches and 0.948 inches
Head Style:
Double hexagon w/hole
Head Height:
Between 0.293 inches and 0.313 inches
Width Between Flats:
0.312 inches
Extended Washer Diameter:
Between 0.428 inches and 0.448 inches
Extended Washer Thickness:
0.060 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.057 inches and 0.188 inches
Features Provided:
Finished head
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
San (her)
125000 pounds per square inch
125000 pounds per square inch
125000 pounds per square inch Hardness Rating:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification:
125000 pounds per square inch Hardness Rating: 26.0 rockwell c and 32.0 rockwell c Surface Finish: 32.0 microinches threads Material: Steel comp 8740 Material Specification: Ams 6322 assn standard single material response Surface Treatment: Cadmium Surface Treatment Specification: Ams 2400 assn standard single treatment response

NSN 5306-01-236-1580

Machine Bolt - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0