NSN 5306-01-236-1601

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-236-1601 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.526 inches and 0.576 inches **Fastener Length:** Between 2.098 inches and 2.138 inches **Head Style:** Double hexagon w/hole **Head Height:** Between 0.338 inches and 0.358 inches Width Between Flats: Between 0.367 inches and 0.376 inches **Extended Washer Diameter:** Between 0.521 inches and 0.531 inches **Extended Washer Thickness:** Between 0.072 inches and 0.092 inches **Shoulder Diameter:** 0.3427 inches first shoulder and 0.3432 inches first shoulder **Shoulder Length:** 1.552 inches first shoulder and 1.572 inches first shoulder **Hole Diameter:** Between 0.050 inches and 0.060 inches **Thread Diameter:** 0.312 inches **Hole Quantity:** Hole Type: Drilled Thready Qty Per Inch (tpi): Min. Tensile Strength (psi): 220000 pounds per square inch **Hole Configuration Style:** Double hexagon longitudinal hole **Shoulder Shape:** Round first shoulder Material:

Steel comp xm-13

Material Specification:

Ams5629 assn standard single material response

NSN 5306-01-236-1601 Shoulder Bolt - Page 2 of 2

A003b0



Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35 federal specification single treatment response
Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia: