## NSN 5306-01-253-2986

Machine Bolt - Page 1 of 2

**Thread Class:** 

3a

View Online at https://aerobasegroup.com/nsn/5306-01-253-2986



### **Thread Direction: Right-hand Thread Length:** Between 0.451 inches and 0.511 inches Fastener Length: Between 1.528 inches and 1.558 inches **Head Style:** Hexagon **Head Height:** Between 0.109 inches and 0.141 inches Width Between Flats: Between 0.367 inches and 0.376 inches Hole Diameter: Between 0.070 inches and 0.080 inches **Thread Diameter:** 0.190 inches Grip Length: Between 1.047 inches and 1.077 inches **Hole Quantity:** 1 Hole Type: Drilled **Features Provided:** Finished head Thready Qty Per Inch (tpi): 32 Min. Tensile Strength (psi): 140000 pounds per square inch Hole Configuration Style: Hexagon flats Material: Iron alloy 660 **Material Specification:** Ams5732 assn standard single material response or ams5737 assn standard single material response Surface Treatment:

Passivate

#### Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

#### **Thread Series Designator:**

Unjf

# NSN 5306-01-253-2986

Machine Bolt - Page 2 of 2



**Specification Data:** 

80205-nas1003 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A003b0