## NSN 5306-01-276-0847

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-276-0847 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: Between 0.616 inches and 0.682 inches **Fastener Length:** Between 1.751 inches and 1.797 inches **Head Style:** Hexagon **Head Height:** Between 0.203 inches and 0.235 inches Width Between Flats: Between 0.553 inches and 0.565 inches **Locking Feature:** Patch threads or pellet threads or strip threads **Thread Diameter:** 0.375 inches **Grip Length:** Between 1.115 inches and 1.135 inches **Features Provided:** Finished head Thready Qty Per Inch (tpi): 24 Min. Tensile Strength (psi): 80000 pounds per square inch Hardness Rating: 26.0 rockwell c fastener and 32.0 rockwell c fastener **Criticality Code Justification:** Feat **Special Features:** Weapon system essential Material: Steel comp 431 fastener **Material Specification:** Mil-s-18732 military specification single material response fastener **Surface Treatment:** Passivate fastener **Thread Series Designator:** Unf

Shelf Life:

N/a

## NSN 5306-01-276-0847

Machine Bolt - Page 2 of 2



	• -			
In	ıŧ	( )t	Measure	•

--

Demilitarization:

No

Fiig:

A003b0

Mil-std (military Standard):

Mil-s-18732 spec.