NSN 5306-01-282-2362

Machine Bolt - Page 1 of 2

Between 0.579 inches and 0.619 inches

Thread Class:

Right-hand

Thread Length:

Thread Direction:

Fastener Length:

За



View Online at https://aerobasegroup.com/nsn/5306-01-282-2362

Between 0.678 inches and 0.698 inches							
Head Style:							
Hexagon							
Head Height:							
Between 0.240 inches and 0.260 inches							
Width Between Flats:							
Between 0.430 inches and 0.439 inches							
Hole Diameter:							
Between 0.060 inches and 0.080 inches							
Thread Diameter:							
0.250 inches							
Grip Length:							
Between 0.079 inches and 0.099 inches							
Hole Quantity:							
6							
Hole Type:							
Drilled							
Thready Qty Per Inch (tpi):							
28							
Min. Tensile Strength (psi):							
130000 pounds per square inch							
Hardness Rating:							
24.0 rockwell c and 35.0 rockwell c							
Minimum Yield Strength:							
85000 pounds per square inch							
Hole Configuration Style:							
Hexagon longitudinal hole							
Surface Finish:							
32.0 microinches threads							
Material:							
Iron alloy 660							
Material Specification:							
Ams5731 assn standard single material response							
Thread Series Designator:							
Thread Series Designator: Unjf							
<u>-</u>							
<u>-</u>							

NSN 5306-01-282-2362

Machine Bolt - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A003b0