NSN 5306-01-283-6664

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-283-6664

Thread Direction: Right-hand Thread Length: Between 17.5 millir

Between 17.5 millimeters and 18.5 millimeters

Fastener Length:

Between 32.75 millimeters and 33.25 millimeters

Head Style:

Hexagon

Head Height:

Between 5.35 millimeters and 5.65 millimeters

Width Between Flats:

Between 12.73 millimeters and 13.00 millimeters

Grip Diameter:

Between 7.985 millimeters and 8.000 millimeters

Thread Diameter:

8.0 millimeters

Grip Length:

Between 14.75 millimeters and 15.25 millimeters

Min. Tensile Strength (psi):

1100 megapascals

Thread Pitch In Millimeters:

1.25

External Thread Tolerance Class:

6g

Product Name:

Navy special project

Material:

Iron alloy 660

Material Specification:

Ams 5732 assn standard single material response or ams 5737 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

Thread Series Designator:

Μ

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5306-01-283-6664

Shear Bolt - Page 2 of 2

Fiig: A003b0

