## NSN 5306-01-288-9346

Shear Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-288-9346

Thread Class:
3a
Thread Direction:
Right-hand
Thread Length:
0.485 inches
Fastener Length:
1.235 inches
Head Style:
Double hexagon
Head Height:
0.164 inches
Width Between Flats:
Between 0.430 inches and 0.439 inches
Hole Diameter:
0.046 inches
Grip Diameter:
Between 0.2485 inches and 0.2495 inches
Thread Diameter:
0.250 inches
Grip Length:
Between 0.740 inches and 0.760 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
28
Min. Tensile Strength (psi):
180000 pounds per square inch
Hardness Rating:
39.0 rockwell c and 43.0 rockwell c
Hole Configuration Style:
Double hexagon flats
Material:
Steel comp e4340 or steel comp h11
Material Specification:
Mil-s-5000 military specification 1st material response or ams 6485 military specification 2nd material response
Surface Treatment:
Cadmium and chromate
Surface Treatment Specification:
Qq-p-416 type 2 federal specification single treatment response

## NSN 5306-01-288-9346

Shear Bolt - Page 2 of 2



Thread Series Designator:
Unjf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
9.

Mil-std (military Standard):

Mil-s-5000 spec.