

NSN 5306-01-289-1783 Machine Bolt - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5306-01-289-1783 **Thread Class:** За **Thread Direction:** Left-hand Thread Length: 0.854 inches **Fastener Length:** 0.938 inches **Head Style:** Double hexagon w/hole

Head Height: 0.422 inches Width Between Flats:

Between 0.430 inches and 0.439 inches

Extended Washer Diameter:

0.562 inches

Extended Washer Thickness:

Between 0.090 inches and 0.100 inches

Hole Diameter:

0.070 inches

End Application:

Spec item

Thread Diameter:

0.375 inches

Grip Length:

0.082 inches

Hole Quantity:

Hole Type:

Drilled

Thready Qty Per Inch (tpi):

Hardness Rating:

26.0 rockwell c and 32.0 rockwell c

Hole Configuration Style:

Double hexagon longitudinal hole

Surface Finish:

63.0 microinches grip

Material:

Steel comp 8740

Material Specification:

Ams 6322 assn standard single material response

NSN 5306-01-289-1783Machine Bolt - Page 2 of 2

Fiig: A003b0



Surface Treatment:
Cadmium
Surface Treatment Specification:
Ams 2400 assn standard single treatment response
Thread Series Designator:
Unf
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No