## NSN 5306-01-296-0622

Machine Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-296-0622

view Online at https://aerobasegroup.com/hist//0000-01-200-0022
Thread Class:
2a
Thread Direction:
Right-hand
Thread Length:
0.625 inches
Fastener Length:
0.625 inches
Head Style:
Hexagon countersunk
Head Height:
Between 0.135 inches and 0.145 inches
Width Between Flats:
Between 4.280 inches and 4.375 inches
Hole Diameter:
0.093 inches
End Application:
Mark iv weather satellite
Thread Diameter:
0.250 inches
Hole Quantity:
1
Hole Type:
Drilled
Thready Qty Per Inch (tpi):
20
Min. Tensile Strength (psi):
Min. Tensile Strength (psi): 2540 pounds per square inch
2540 pounds per square inch
2540 pounds per square inch  Hole Configuration Style:
2540 pounds per square inch  Hole Configuration Style:  Round
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle:
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle:  82.0 degrees
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle:  82.0 degrees  Product Name:
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle:  82.0 degrees  Product Name:  Navy special project
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle:  82.0 degrees  Product Name:  Navy special project  Material:
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle: 82.0 degrees  Product Name: Navy special project  Material: Stainless steel
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle: 82.0 degrees  Product Name: Navy special project  Material: Stainless steel  Surface Treatment:
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle: 82.0 degrees  Product Name:  Navy special project  Material:  Stainless steel  Surface Treatment:  Passivate
2540 pounds per square inch  Hole Configuration Style:  Round  Countersink Angle: 82.0 degrees  Product Name: Navy special project  Material: Stainless steel  Surface Treatment: Passivate  Surface Treatment Specification:

Unc

## NSN 5306-01-296-0622

Machine Bolt - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0