## NSN 5306-01-317-1777

Shoulder Bolt - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5306-01-317-1777 **Thread Class:** За **Thread Direction:** Right-hand Thread Length: 0.719 inches **Fastener Length:** Between 2.095 inches and 2.155 inches **Head Style:** Hexagon **Head Height:** 0.375 inches Width Between Flats: 0.625 inches **Shoulder Diameter:** 0.467 inches first shoulder and 0.468 inches first shoulder **Shoulder Length:** 1.376 inches first shoulder and 1.436 inches first shoulder **Hole Diameter:** Between 0.060 inches and 0.068 inches **Thread Diameter:** 0.438 inches **Hole Quantity: Hole Type:** Drilled Thready Qty Per Inch (tpi): 20 **Hardness Rating:** 240.0 brinell standard and 280.0 brinell standard **Hole Configuration Style:** Hexagon flats **Shoulder Shape:** Round first shoulder **Product Name:** Navy special project **Special Features:** Relieved on neck 0.045 in. Wide; 0.442-0-467 in. Dia; surface finish on shoulder 63.0 microinches; protective finish per mil-p-16232 type 2 cl 2 Material: Steel comp 4140

Unf

**Thread Series Designator:** 

## NSN 5306-01-317-1777

Shoulder Bolt - Page 2 of 2



C	ha	Ιf	1	ife	
•	ııe		_	.II C	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A003b0